

CLEARFLO NED1066

1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product Identifier:

Trade Name: CLEARFLO NED1066

Type of product: Mixture

1.2 Relevant identified used of the substance or mixture and uses advised against:

Identified Uses: Processing aid for industrial applications

Uses advised against: None

1.3 Details of the supplier of the safety data sheet:

Supplier: GPC CLEAR SOLUTIONS LIMITED

Unit 57

Riverside Estate

Sir Thomas Longley Road Medway City Estate

Rochester

Kent ME2 4DP

United Kingdom

Telephone Number: +44 (0) 1634 326920 **Mobile:** +44 (0) 7787564967

Email: sales@gpcclearsolutions.co.uk

1.4 Emergency Telephone Number (Office hours only):

GPC Clear Solution Ltd (Office hours only): +44 (0) 7787564967

National Poison Information Service: NHS Direct: 0845 4647 or 111 (24/24, 7/7)

Scotland: NHS 24-08454 24 24 24 (24/24, 7/7)

2. HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture:

- Classification according to Regulation (EC) No. 1272/2008: Not classified

2.2 Label elements:

Page 1 of 18 Revision date: 17/11/2021



SAFETY DATA SHEET

CLEARFLO NED1066

Labelling according to Regulation (EC) 1272/2008:

- REACH Registration Number:

	- Hazard pictogram(s):	None.
	- Signal Word:	None.
	- Hazard statement(s):	None.
	- Precautionary statement(s):	None.
	- Additional elements:	EUH210 – Safety data sheet available on request.
3.0	OMPOSITION/INFORMATION ON INGREDIENTS	
3. 0	OMI CSTTON, IN CRIMATION ON INCREDIENTS	
3.1	Substances:	Not applicable, this product is a mixture.
3.2	Mixtures:	
	Hazardous components	
	Hydrocarbons, C14-C18, n-alkanes, isoalkanes, cyclic	cs, < 2% aromatics
	- Concentration/ -range:	20 – 45%
	- ECHA list Number:	927-632-8
	(Assigned to substances without a CAS No or other numerical identifier).	
	- REACH Registration Number:	01-2119457736-27-XXXX
	 Classification according to Regulation (EC) No. 1272/2008: 	Asp. Tox. 1;H304, EUH066
Notes	: Does not result in classification of the mixture if the kind	ematic viscosity is greater than 20.5 mm²/s measure at 40°C.
	Isotridecanol, ethoxylated	
	- Concentration/ -range:	< 5%
	EC-No:	Polymer.

Page 2 of 18 Revision date: 17/11/2021

Not applicable (polymer).



CLEARFLO NED1066

Classification according to Regulation (EC)

No. 1272/2008: Acute Tox. 4;H302, Eye Dam. 1;H318

Alkanes, C11-15-iso-

Concentration/ -range: < 3%

ECHA list Number: 920-901-0

(Assigned to substances without a CAS No or

other numerical identifier).

REACH Registration Number: 01-2119456810-40-XXXX

Classification according to Regulation (EC)

No. 1272/2008: Asp. Tox. 1;H304, EUH066

Notes: Does not result in classification of the mixture if the kinematic viscosity is greater than 20.5 mm²/s measure at 40°C.

For explanation of abbreviations see section 16.

4. FIRST AID MEASURES

4.1 **Description of first aid measures:**

Inhalation: Move to fresh air. No hazards which require special first

aid measures.

Skin contact: Wash off immediately with soap and plenty of water while

removing all contaminated clothes and shoes. In case of

persistent skin irritation, consult a doctor.

Rinse immediately with plenty of water, also under the Eye contact:

eyelids, for at least 15 minutes. Get medical attention

immediately.

Ingestion: Rinse mouth with water. Do NOT induce vomiting. Call a

doctor or poison centre immediately.

4.2 Most important symptoms and effects, both acute and delayed:

None under normal use.

Page 3 of 18 Revision date: 17/11/2021



CLEARFLO NED1066

4.3	Indication of any immediate medical attention and special treatment needed:	None reasonably foreseeable.
	- Other information:	None.
	-	
5. FII	RE-FIGHTING MEASURES	
5.1	Extinguishing media:	
	- Suitable extinguishing media:	Water. Water spray. Foam. Carbon dioxide (CO2). Dry powder. Warning! Spills produce extremely slippery surfaces.
	- Unsuitable extinguishing media:	None.
5.2	Special hazards arising from the substance or mixture:	
	- Hazardous decomposition products:	Carbon oxides (COx). Nitrogen oxides (NOx). Hydrogen cyanide (hydrocyanic acid) may be produced in the event of combustion in an oxygen deficient atmosphere.
5.3	Advice for firefighters:	
	- Protective measures:	Wear self-contained breathing apparatus and protective suit.
	- Other information:	Spills produce extremely slippery surfaces.
6. AC	CCIDENTAL REALEASE MEASURES	

6.1 Personal precautions, protective equipment and emergency procedures:

- **Personal precautions:** Do not touch or walk through spilled material. Spills produce extremely slippery surfaces.

Page 4 of 18 Revision date: 17/11/2021



Specific end use(s):

7.3

Protective equipment:

SAFETY DATA SHEET

CLEARFLO NED1066

Wear adequate personal protective equipment (see

material. Incompatible with oxidizing agents.

This information is not available.

Section 8 Exposure Controls/ Personal Protection). **Emergency procedures:** Keep people away from spill/leak. Prevent further leakage if safe to do so. 6.2 **Environmental precautions:** Do not contaminate water. 6.3 Methods and material for containment and cleaning up: **Small spills:** Do not flush with water. Soak up with inert absorbent material. Sweep up and shovel into suitable containers for disposal. Large spills: Dam up. Do not flush with water. Clean up promptly by scoop or vacuum. **Residues:** Soak up with inert absorbent material. After cleaning, flush away traces with water. 6.4 Reference to other sections: SECTION 7: Handling and storage; SECTION 8: Exposure controls/ personal protection; SECTION 13: Disposal considerations. 7. HANDLING AND STORAGE 7.1 Precautions for safe handling: Avoid contact with skin and eyes. When using do not eat, drink or smoke. Renders surfaces extremely slippery when spilled. 7.2 Keep away from heat and sources of ignition. Freezing will **Conditions for safe storage including any incompatibilities:** affect the physical condition and may damage the

Page 5 of 18 Revision date: 17/11/2021



CLEARFLO NED1066

8. EXPOSURE CONTROLS/ PERSONAL PROTECTION

8.1	Control	parameters:
-----	---------	-------------

- National occupational exposure limits: None known.

Derived No and Minimum Effect Levels (DNELs/DMELs): None known.

Predicted no-effect concentrations (PNEC): None known.

8.2 Exposure controls:

- Appropriate engineering controls: Use local exhaust if misting occurs. Natural ventilation is

adequate in absence of mists.

- Individual protection measures, such as personal protective equipment:

a) Eye/face protection: Safety glass with side-shields. Use equipment for eye

protection tested and approved under appropriate

government standards such as NIOSH (US) or EN 166 (EU).

b) Skin protection

i) Hand protection: PVC or other plastic material gloves. Be aware that liquid

may permeate gloves, frequent change is advised. Suitable gloves can be recommended by the glove supplier. The

selected protective gloves have to satisfy the specifications of EU Directive 89/689/EEC and the

standard EN 374 derived from it.

ii) Other: Wear coveralls and/or chemical apron and rubber

footwear where physical contact can occur. The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at

the specific workplace.

c) Respiratory protection: No personal respiratory protective equipment normally

required. Use respirators and components tested and approved under appropriate government standards such

as NIOSH (US) or CEN (EU).

Page 6 of 18 Revision date: 17/11/2021



CLEARFLO NED1066

d) Additional advice: Wash hands before breaks and immediately after handling

the product. Wash hands before breaks and at the end of

workday.

- Environmental exposure controls: Do not allow uncontrolled discharge of product into the

environment.

9. PHYSICAL AND CHEMICAL PROPERTIES

9.1 Appearance: Viscous liquid, Milky

9.2 Odour: Aliphatic

9.3 Odour Threshold: Not data available.

9.4 pH: 5.5 – 8.5 @ 5 g/L

9.5 Melting point/freezing point: <5 °C

9.6 Initial boiling point and boiling range: > 100 °C

9.7 Flash point: Does not flash

9.8 Evaporation rate: No data available.

9.9 Flammability (solid, gas): No applicable.

9.10 Upper/lower flammability or explosive limits: Not expected to create explosive atmospheres.

9.11 Vapour pressure: 2.3 kPa @ 20 °C

9.12 Vapour density: 0.804 g/litre @ 20 °C

9.13 Relative density: 1.0 – 1.2

9.14 Solubility(ies): Completely miscible.

Page 7 of 18 Revision date: 17/11/2021



CLEARFLO NED1066

9.15 Partition coefficient: Not applicable.

9.16 Autoignition temperature: No data available.

9.17 Decomposition temperature: > 150 °C

9.18 Viscosity: $> 20.5 \text{ mm}_2/\text{s} @ 40 ^{\circ}\text{C}$

9.19 Explosive properties: Not expected to be explosive based on the chemical structure.

9.20 Oxidizing properties: Not expected to be oxidising based on the chemical structure.

9.21 Other information: None.

10. STABILITY AND REACTIVITY

10.1 Reactivity: Stable under recommended storage conditions.

10.2 Chemical stability: The product is stable under recommended storage conditions.

10.3 Possibility of hazardous reactions: Oxidising agents may cause exothermic reactions.

10.4 Conditions to avoid: Protect from frost, heat and sunlight.

10.5 Incompatible materials: Incompatible with oxidizing agents.

10.6 Hazardous decomposition products: Thermal decomposition may produce: nitrogen oxides (NOx),

carbon oxides (COx). Ammonia (NH3). Hydrogen cyanide

(hydrocyanic acid).

11. TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects:

Information on the product as supplied:

Acute oral toxicity: LD50/oral/rat > 5000 mg/kg (Estimated).

Acute dermal toxicity: LD50/dermal/rat > 5000 mg/kg (Estimated).

Page 8 of 18 Revision date: 17/11/2021



CLEARFLO NED1066

- Acute inhalation toxicity: The product is not expected to be toxic by inhalation.

- **Skin corrosion/irritation:** Non-irritating to skin.

- Serious eye damage/eye irritation: Not irritating. (OECD 437)

- **Respiratory/skin sensitisation:** Not sensitizing.

- **Mutagenicity:** Not mutagenic.

- **Carcinogenicity:** Not carcinogenic.

Reproductive toxicity: Not toxic for reproduction.

STOT-Single exposure: No known effects.

- STOT-Repeated exposure: No known effects.

- **Aspiration hazard:** Due to the viscosity, this product does not present an aspiration

hazard.

Relevant information on the hazardous components:

Hydrocarbons, C14-C18, n-alkanes, isoalkanes, cyclics, < 2% aromatics

Acute oral toxicity: LD50/oral/rat > 5000 mg/kg (OECD 401)

- Acute dermal toxicity: LD50/dermal/rabbit > 3160 mg/kg. (OECD 402)

Acute inhalation toxicity: LC50/inhalation/4 hours/rat > 5000 mg/m³ (OECD 403)

- **Skin corrosion/irritation:** Not irritating. (OECD 404)

Repeated exposure may cause skin dryness or cracking.

- Serious eye damage/eye irritation: Not irritating. (OECD 405)

- Respiratory/skin sensitisation: By analogy with similar products, this product is not expected to

be sensitizing. (OECD 406)

- **Mutagenicity:** Not mutagenic. (OECD 471, 474, 475, 476, 483)

- Carcinogenicity: By analogy with similar substances, this substance is not expected

to be carcinogenic.

- **Reproductive toxicity:** NOAEL/rat >= 300 ppm. (OECD 421)

Page 9 of 18 Revision date: 17/11/2021



CLEARFLO NED1066

Prenatal Development Toxicity Study (OECD 414)
- NOAEL/Maternal toxicity/rat >= 5220 mg/kg/day
-NOAEL/Developmental toxicity/rat >= 5220 mg/kg/day

STOT-Single exposure: No known effects.

- **STOT-Repeated exposure:** No known effects.

- **Aspiration hazard:** May be fatal if swallowed and enters airways.

Isotridecanol, ethoxylated

Acute oral toxicity: LD50/oral/rat = 500 – 2000 mg/kg

- Acute dermal toxicity: LD50/dermal/rabbit > 2000 mg/kg

Acute inhalation toxicity: No data available.

Skin corrosion/irritation: Not irritating. (OECD 404)

- Serious eye damage/eye irritation: Causes serious eye irritation (OECD 405)

- Respiratory/skin sensitisation: The results of testing on guinea pigs showed this material to be

non-sensitizing.

- Mutagenicity: In vitro tests did not show mutagenic effects. In vivo tests did not

show mutagenic effects.

- Carcinogenicity: Based on the absence of mutagenicity, it is unlikely that the

substance is carcinogenic.

- Reproductive toxicity: Two-Generation Reproduction Toxicity (OECD 416)

-NOAEL/rat > 250 mg/kg/day

Prenatal Development Toxicity Study (OECD 414)
-NOAEL/Maternal toxicity/rat > 50 mg/kg/day
-NOAEL/Developmental toxicity/rat > 50 mg/kg/day

STOT-Single exposure: No known effects.

STOT-Repeated exposure: NOAEL/oral/rat/600 days = 50 mg/kg/day

Aspiration hazard: No known effects.

Page 10 of 18 Revision date: 17/11/2021



CLEARFLO NED1066

Alkanes, C11-15-iso-

Acute oral toxicity: LD50/oral/rat > 5000 mg/kg (OECD 401)

Acute dermal toxicity: LD50/dermal/rat > 5000 mg/kg. (OECD 402)

Acute inhalation toxicity: LC50/inhalation/8 hours/rat > 5000 mg/m³ (OECD 403)

- **Skin corrosion/irritation:** Not irritating. (OECD 404)

Repeated exposure may cause skin dryness or cracking.

Serious eye damage/eye irritation: Not irritating (OECD 405)

- Respiratory/skin sensitisation: By analogy with similar products, this product is not expected to

be sensitizing (OECD 406)

No respiratory sensitization has been observed in the workplace.

Mutagenicity: Negative in the Ames Test (OECD 471). Negative in the In vitro

Mammalian Cell Gene Mutation Test (OECD 476). Negative in the In Vitro Mammalian Chromosome Aberration Test (OECD 473). Negative in the Rodent Dominant Lethal Test (OECD 478). Not

mutagenic (OECD 474, 479)

- Carcinogenicity: By analogy with similar substance, this substance is not expected

to be carcinogenic. (OECD 453)

- **Reproductive toxicity:** By analogy with similar substance, this substance is not expected

to be toxic for reproduction. (OECD 413, 414, 415)

- **STOT-Single exposure:** No known effects.

- STOT-Repeated exposure: By analogy with similar products, this product is not expected to

demonstrate chronic toxic effects. (OECD 413)

NOAEL/oral/rat/90 days >= 3000 mg/kg/day (OECD 408) (Based on

results obtained from tests on analogous products)

Aspiration hazard: May be fatal if swallowed and enters airways.

12. ECOLOGICAL INFORMATION

12.1 Toxicity

Page 11 of 18 Revision date: 17/11/2021



CLEARFLO NED1066

Information on the product as supplied:

- Acute toxicity to fish: LC50/Oncorhynchus mykiss/96 hours > 100 mg/L. (Estimated)

LC50/Danio rerio/96 hours > 100 mg/L. (Estimated)

- Acute toxicity to invertebrates: EC50/Daphnia magna/48 hours > 100 mg/L. (Estimated)

Acute toxicity to algae: IC50/Algae/72 hours > 100 mg/L. (Estimated)

- **Chronic toxicity to fish:** No data available.

- **Chronic toxicity to invertebrates:** No data available.

Toxicity to microorganisms: No data available.

- Effects on terrestrial organisms: No data available.

Sediment toxicity: No data available.

Relevant information on the hazardous components:

Hydrocarbons, C14-C18, n-alkanes, isoalkanes, cyclics, < 2% aromatics

- Acute toxicity to fish: LC50/Fish/96 hours > 1028 mg/L

- Acute toxicity to invertebrates: EC50/Invertebrates/48 hours > 3193 mg/L

- Acute toxicity to algae: IC50/Algae/72 hours = 993 mg/L

Chronic toxicity to fish: NOEC/Oncorhynchus mykiss/28 days > 1000 mg/L (Estimated)

- Chronic toxicity to invertebrates: NOEC/Daphnia magna/21 days > 1000 mg/L (Estimated)

- **Toxicity to microorganisms:** EC50/activated sludge/3 hours > 100 mg/L (OECD 209)

Effects on terrestrial organisms: No data available.

Sediment toxicity: No data available.

Isotridecanol, ethoxylated

Acute toxicity to fish: LC50/Cyprinus carpio/96 hours = 1 - 10 mg/L (OECD 203)

- Acute toxicity to invertebrates: EC50/Daphnia/48 hours = 1 – 10 mg/L (OECD 202)

Page 12 of 18 Revision date: 17/11/2021



CLEARFLO NED1066

- Acute toxicity to algae: IC50/Desmodesmus subspicatus/72 hours = 1 – 10 mg/L (OECD

201)

- **Chronic toxicity to fish:** No data available.

- Chronic toxicity to invertebrates: NOEC/Daphnia magna/21 days > 1 mg/L (OECD 202)

- **Toxicity to microorganisms:** EC10/activated sludge/17 hours > 1000 mg/L (DIN 38412-8)

Effects on terrestrial organisms: No data available.

Sediment toxicity: No data available.

Alkanes, C11-15-iso-

- Acute toxicity to fish: LCO/Oncorhynchus mykiss/96 hours > 1000 mg/L. (OECD 203)

(Based on results obtained from tests on analogous products)

- Acute toxicity to invertebrates: ECO/Daphnia magna/48 hours > 1000 mg/L (OECD 202) (Based on

results obtained from tests on analogous products)

- Acute toxicity to algae: NOEC/Pseudokirchneriella subcapitata/72 hours = 1000 mg/L

(OECD 201) (Based on results obtained from tests on analogous

products)

- **Chronic toxicity to fish:** NOEC/Oncorhynchus mykiss/28 days = 0.316 mg/L (Estimated)

- Chronic toxicity to invertebrates: NOEC/Daphnia magna/21 days = 1 mg/L (OECD 211)

- **Toxicity to microorganisms:** EC50/Tetrahymena phyriformis/48 h > 1000 mg/L

Effects on terrestrial organisms: No data available.

- **Sediment toxicity:** Exposure to sediment is unlikely.

12.2 Persistence and degradability

Information on the product as supplied:

Degradation: Not readily biodegradable.

Hydrolysis: Does not hydrolyse.

- **Photolysis:** No data available.

Page 13 of 18 Revision date: 17/11/2021



CLEARFLO NED1066

Relevant information on the hazardous components:

Hydrocarbons, C14-C18, n-alkanes, isoalkanes, cyclics, < 2% aromatics

-	Degradation:	Readily biodegradable. 82% / 24 days (OECD 301 F); 74% / 28 days
		(OECD 306)

- **Hydrolysis:** Does not hydrolyse.

- **Photolysis:** Half-life: 0.254 – 0.850 days.

Isotridecanol, ethoxylated

- **Degradation:** Readily biodegradable. > 60% / 28 days (OECD 301 B)

Hydrolysis: Does not hydrolyse.Photolysis: No data available.

Alkanes, C11-15-iso-

- **Degradation:** Inherently biodegradable. 31.5% / 28 days (OECD 301 F)

Hydrolysis: Does not hydrolyse.Photolysis: No data available.

12.3 Bioaccumulative potential

Information on the product as supplied:The product is not expected to bioaccumulate.

Partition co-efficient (Log Pow): Not applicable.

Bioconcentration factor (BCF): No data available.

Relevant information on the hazardous components:

Hydrocarbons, C14-C18, n-alkanes, isoalkanes, cyclics, < 2% aromatics

Partition co-efficient (Log Pow): No data available.

- **Bioconcentration factor (BCF):** No data available.

Page 14 of 18 Revision date: 17/11/2021



12.4

12.5

12.6

Other adverse effects:

SAFETY DATA SHEET

CLEARFLO NED1066

f REACH

Page 15 of 18 Revision date: 17/11/2021

None.



CLEARFLO NED1066

13. DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods:

Waste from residues/unused products: Dispose in accordance with local and nation regulations.

- Contaminated packaging: Rinse empty containers with water and use the rinse-water to

prepare the working solution. If recycling is not practicable, dispose of in compliance with local regulations. Can be landfilled

or incinerated, when in compliance with local regulations.

Recycling: In accordance with local and national regulations.

14. TRANSPORT INFORMATION

14.1 Land transport (ADR/RID): Not classified

14.2 Sea transport (IMDG): Not classified

14.3 Air transport (IATA): Not classified

15. REGULATORY INFORMATION

15.1 Safety, health and environmental regulations specific for the substance or mixture:

All components of this product have been registered or pre-registered with the European Chemicals Agency or are exempt from registration.

15.2 Chemical Safety Assessment:

A chemical safety assessment for this product has been carried out by the person responsible for producing this Safety Data Sheet. All relevant information used to conduct this assessment are included in this Safety Data Sheet as well as any resulting Risk Reduction Measures

Page 16 of 18 Revision date: 17/11/2021



CLEARFLO NED1066

16. OTHER INFORMATION

This data sheet contains changes from the previous version in section(s):

SECTION 3. Composition/information on ingredients, SECTION 8. Exposure controls/personal protection, SECTION 16. Other Information.

Key or legend to abbreviation and acronyms used in the safety data sheet:

Acronyms

PBT = persistent, bioaccumulative and toxic

STOT = Specific target organ toxicity

vPvB = Very persistent and very bioaccumulative

Abbreviations

Acute Tox. 4 = Acute toxicity, Hazard Category 4

Asp. Tox 1 = Aspiration hazard, Hazard Category 1

Eye Dam 1 = Serious eye damage/eye irritation, Hazard Category 1

Hazard statement

H302 - Harmful if swallowed

H304 – May be fatal if swallowed and enters airways

H318 – Causes serious eye damage

EUH066 - Repeated exposure may cause skin dryness or cracking

16.4 This SDS was prepared in accordance with the following:

Regulation (EC) N° 1907/2006, as amended Regulation (EC) N° 1272/2008, as amended

Version: 21.01.a

DDAC008

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only a guidance for safe handling, use, process, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process unless specified in the text.

Page 17 of 18 Revision date: 17/11/2021



CLEARFLO NED1066

ANNEX(ES)

This product is not hazardous as supplied and/or does not contain hazardous components:

- . Which require REACH registration; or,
- . which demonstrate relevant effects which would require a chemical safety assessment; or,
- . which are present at concentrations above their cut-off value

Therefore, according to Regulation (EC) No 197/2006, Article 31, paragraph 7, an Exposure Scenario is not required as an annex to the Safety Data Sheet

Page 18 of 18 Revision date: 17/11/2021