

# **CLEARFLO PED4290**

### 1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

•	•	_			
1	.1	Proc	HICT	IADNI	tifier:
-		1100	uct	IUCII	uncı.

Trade Name: CLEARFLO PED4290

Type of product: Mixture.

# 1.2 Relevant identified used of the substance or mixture and uses advised against:

Identified Uses: Processing aid for industrial applications.

- Uses advised against: None

### 1.3 Details of the supplier of the safety data sheet:

**Supplier:** GPC CLEAR SOLUTIONS LIMITED

Unit 57

Riverside Estate

Sir Thomas Longley Road Medway City Estate

Rochester Kent ME2 4DP United Kingdom

**Telephone Number:** +44 (0) 1634 326920 **Mobile:** +44 (0) 7787564967

Email: sales@gpcclearsolutions.co.uk

# 1.4 Emergency Telephone Number (Office hours only):

GPC Clear Solution Ltd (Office hours only): +44 (0) 7787564967

National Poison Information Service: NHS Direct: 0845 4647 or 111 (24/24, 7/7)

Scotland: NHS 24-08454 24 24 24 (24/24, 7/7)

Page 1 of 18 Revision date: 19/05/2020



# **CLEARFLO PED4290**

	2. HAZARDS IDENTIFICATION	
2.1	Classification of the substance or mixture:	
2.1	classification of the substance of mixture.	
	<ul> <li>Classification according to Regulation (EC) No. 1272/2008:</li> </ul>	Not classified.
2.2	Label elements	
	Labelling according to Regulation (EC) 1272/2008:	
	- Hazard pictogram(s):	None.
	- Signal word:	None.
	- Hazard statement(s):	None.
	- Precautionary statement(s):	None.
	- Additional elements:	EUH210 – Safety data sheet available on request.
2.3	Other hazards:	Spills produce extremely slippery surfaces.
	- PBT and vPvB assessment:	Not PBT or vPvB according to the criteria of Annex XIII of REACH.
	For explanation of abbreviations see Section 16.	
3. C	OMPOSITION/INFORMATION ON INGREDIENTS	
3.1	Substances:	Not applicable, this product is a mixture.
3.2	Mixtures:	
	Hazardous components	

Page 2 of 18 Revision date: 19/05/2020

20 - 40%

 $Hydrocarbons, \ C14-C18, \ n-alkanes, \ isoalkanes, \ cyclics, < 2\% \ aromatics$ 

- Concentration/ -range:



# **CLEARFLO PED4290**

- ECHA List Number

(Assigned by ECHA to substances without

an EC Number): 927-632-8

- REACH Registration Number: 01-2119457736-27-XXXX

- Classification according to Regulation

(EC) No. 1272/2008: Asp. Tox. 1;H304, EUH066

Notes: Does not result in classification of the mixture if the kinematic viscosity is greater than 20.5 mm<sup>2</sup>/s measured at 40°C.

#### Isotridecanol, ethoxylated

- Concentration/ -range: < 6%

- EC-No: Polymer.

REACH Registration Number: Not applicable (polymer).

- Classification according to Regulation (EC)

**No. 1272/2008:** Acute Tox. 4;H302, Eye Dam. 1;H318.

#### Alkanes, C11-15-iso-

- Concentration/ -range: < 3%

- ECHA List Number:

(Assigned by ECHA to substance without

**an EC Number):** 920-901-0

- **REACH Registration Number:** 01-211945681-40-XXXX

Classification according to Regulation

(EC) No. 1272/2008: Asp. Tox. 1;H304, EUH066

Notes: Does not result in classification of the mixture if the kinematic viscosity is greater than 20.5 mm<sup>2</sup>/s measured at 40°C.

For explanation of abbreviations see section 16.

Page 3 of 18 Revision date: 19/05/2020



# **CLEARFLO PED4290**

#### **4. FIRST AID MEASURES**

4.1 Description of first aid measures:

Inhalation: Move to fresh air. No hazards which require special first aid

measures.

- **Skin contact:** Wash off immediately with soap and plenty of water while

removing all contaminated clothes and shoes. In case of persistent

skin irritation, consult a physician.

- **Eye contact:** Rinse immediately with plenty of water, also under the eyelids, for

at least 15 minutes. Get medical attention immediately.

- Ingestion: Rinse moth with water. Do NOT induce vomiting. Call a doctor or

poison control centre immediately.

4.2 Most important symptoms and effects, both

acute and delayed: None under normal use.

4.3 Indication of any immediate medical attention

and special treatment needed: None reasonably foreseeable.

- Other information: None.

## **5. FIRE-FIGHTING MEASURES**

### 5.1 Extinguishing media

- Suitable extinguishing media: Water. Water spray. Foam. Carbon dioxide (CO2). Dry powder.

Warning! Spills produce extremely slippery surfaces.

- Unsuitable extinguishing media: None known.

Page 4 of 18 Revision date: 19/05/2020



# **CLEARFLO PED4290**

5.2	Special	hazards aı	rising from	the substance	or mixture
-----	---------	------------	-------------	---------------	------------

- Hazardous decomposition products: Ammonia. Carbon oxides (COx). Nitrogen oxides (NOx). Hydrogen

chloride. Hydrogen cyanide (hydrocyanic acid) may be produced in

the event of combustion in an oxygen deficient atmosphere.

5.3 Advice for firefighters

Protective measures: Wear self-contained breathing apparatus and protective suit.

Other information: Spills produce extremely slippery surfaces.

#### **6. ACCIDENTAL REALEASE MEASURES**

6.1 Personal precautions, protective equipment, and emergency procedures:

- **Personal precautions:** Do not touch or walk-through spilled material. Spills produce

extremely slippery surfaces.

Protective equipment: Wear adequate personal protective equipment (see Section 8

Exposure Controls/Personal Protection).

- **Emergency procedures:** Keep people away from spill/leak. Prevent further leakage or

spillage if safe to do so.

**6.2 Environmental precautions:** Do not contaminate water.

6.3 Methods and material for containment and cleaning up

- **Small spills:** <u>Do not flush with water.</u> Soak up with inert absorbent material.

Sweep up and shovel into suitable containers for disposal.

- Large spills: Clean up promptly by scoop or vacuum. <u>Do not flush with water.</u>

Dam up.

- **Residues:** <u>After cleaning,</u> flush away traces with water.

**6.4** Reference to other sections: SECTION 7: Handling and storage; SECTION 18: Exposure

controls/personal protection; SECTION 13: Disposal considerations.

Page 5 of 18 Revision date: 19/05/2020



# **CLEARFLO PED4290**

#### 7. HANDLING AND STORAGE

**7.1** Precautions for safe handling: Avoid contact with skin and eyes. Renders surfaces extremely

slippery when spilled. When using, do not eat, drink, or smoke.

7.2 Conditions for safe storage, including any

incompatibilities: Keep away from heat and sources of ignition. Freezing will affect

the physical condition and may damage the material. Incompatible

with oxidizing agents.

**7.3 Specific end use(s):** This information is not available.

### 8. EXPOSURE CONTROLS/ PERSONAL PROTECTION

# 8.1 Control parameters

National occupational exposure limits: None known.

- Derived No and Minimum Effect Levels

(DNELs/DMELs): None known.

Predicted no-effect concentrations (PNEC): None known.

### 8.2 Exposure controls

- Appropriate engineering controls: Use local exhaust if misting occurs. Natural ventilation is adequate

in absence of mists.

- Individual protection measures, such as personal protective equipment:

a) Eye/face protection: Safety glasses with side-shields.

b) Skin protection:

i) Hand protection: PVC or other plastic material gloves.

Page 6 of 18 Revision date: 19/05/2020



### **CLEARFLO PED4290**

ii) Other: Wear coveralls and/or chemical apron and rubber footwear where

physical contact can occur.

c) Respiratory protection: No personal respiratory protective equipment normally required.

d) Additional advice: Handle in accordance with good industrial hygiene and safety

practice. Wash hands before breaks and at the end of workday. Wash hands before breaks and immediately after handling the

product.

- Environmental exposure controls: Do not allow uncontrolled discharge of product into the

environment.

#### 9. PHYSICAL AND CHEMICAL PROPERTIES

### 9.1 Information on basic physical and chemical properties

Appearance: Viscous liquid, Milky.

- Odour: Aliphatic.

Odour Threshold: No data available.

- **pH:** Not applicable.

- Melting point/freezing point: <5°C

Initial boiling point and boiling range: > 100°C

- Flash point: Does not flash.

Evaporation rate: No data available.

- Flammability (solid, gas): Not applicable.

- Upper/lower flammability or explosive limits: Not expected to create explosive atmospheres.

Vapour pressure: 2.3 kPa @ 20°C

- Relative density: 0.804 g/L @ 20°C

Page 7 of 18 Revision date: 19/05/2020



# **CLEARFLO PED4290**

Solubility(ies): Completely miscible.

Partition coefficient: Not applicable.

Autoignition temperature: No data available.

- Decomposition temperature: > 150°C

- **Viscosity:** > 20.5 mm<sup>2</sup>/s @ 40°C

Explosive properties: Not expected to be explosive based on the chemical structure.

Oxidizing properties: Not expected to be oxidizing based on the chemical structure.

**9.2 Other information:** None.

### **10. STABILITY AND REACTIVITY**

**10.1 Reactivity:** Stable under recommended storage conditions.

**10.2 Chemical stability:** The product is stable under recommended storage conditions.

**10.3** Possibility of hazardous reactions: Oxidising agents may cause exothermic reactions.

**10.4 Conditions to avoid:** Protect from frost, heat, and sunlight.

**10.5** Incompatible materials: Oxidizing agents.

**10.6** Hazardous decomposition products: Thermal decomposition may produce: hydrogen chloride gas,

nitrogen oxides (NOx), carbon oxides (COx). Ammonia. Hydrogen

cyanide (hydrocyanic acid).

#### 11. TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

Information on the product as supplied:

Page 8 of 18 Revision date: 19/05/2020



# **CLEARFLO PED4290**

Acute oral toxicity: LD50/oral/rat > 5000 mg/kg (Estimated).

Acute dermal toxicity: LD50/dermal/rat > 5000 mg/kg (Estimated).

Acute inhalation toxicity: The product is not expected to be toxic by inhalation.

- **Skin corrosion/irritation:** Non-irritating to skin.

Serious eye damage/eye irritation: Not irritating. (OECD 437).

Respiratory/skin sensitisation: Not sensitizing.

- Mutagenicity: Not mutagenic.

- Carcinogenicity: Not carcinogenic.

- **Reproductive toxicity:** Not toxic for reproduction.

- STOT – Single exposure: No known effects.

STOT – Repeated exposure: Non known effect.

- **Aspiration hazard:** Due to the viscosity, this product does not present an aspiration

hazard.

## Relevant information on the hazardous components:

### Hydrocarbons, C14-C18, n-alkanes, isoalkanes, cyclics, < 2% aromatics

- Acute oral toxicity: LD50/oral/rat > 5000 mg/kg (OECD 401).

- Acute dermal toxicity: LD50/dermal/rabbit > 3160 mg/kg (OECD 402).

- Acute inhalation toxicity: LCO/inhalation/4 hours/rat >= 5266 mg/m³ (aerosol/mist) (OECD

403) (Based on results obtained from tests on analogous

products).

- **Skin corrosion/irritation:** Not irritating (OECD 404).

Repeated exposure may cause skin dryness or cracking.

Serious eye damage/eye irritation: Not irritating (OECD 405).

- Respiratory/skin sensitisation: By analogy with similar products, this product is not expected to

be sensitizing. (OECD 406).

Page 9 of 18 Revision date: 19/05/2020



# **CLEARFLO PED4290**

- **Mutagenicity:** Not mutagenic (OECD 471, 474, 475, 476, 483).

Carcinogenicity: By analogy with similar substances, this substance is not expected

to be toxic for reproduction.

Based on the absence of mutagenicity, it is unlikely that the

substance is carcinogenic.

- Reproductive toxicity: Based on available data, product is not expected to be toxic for

reproduction.

NOAEL/rat >= 300 ppm (OECD 421).

Prenatal Development Toxicity Study (OECD 414).
-NOAEL/Maternal toxicity/rat >= 5220 mg/kg/day.
-NOAEL/Developmental toxicity/rat >= 5220 mg/kg/day.

- STOT – Single exposure: No known effects.

- STOT – Repeated exposure: No known effects.

Aspiration hazard: May be fatal if swallowed and enters airways.

Isotridecanol, ethoxylated

- Acute oral toxicity: LD50/oral/rat = 500 – 2000 mg/kg.

- Acute dermal toxicity: LD50/dermal/rabbit > 2000 mg/kg.

- Acute inhalation toxicity: No data available.

- **Skin corrosion/irritation:** Not irritating. (OECD 404).

Serious eye damage/eye irritation: Causes serious eye irritation (OECD 405).

- **Respiratory/skin sensitisation:** The results of testing on guinea pigs showed this material to be

non-sensitizing.

- **Mutagenicity:** In vitro tests did not show mutagenic effects. In vivo tests did not

show mutagenic effects.

- Carcinogenicity: Based on the absence of mutagenicity, it is unlikely that the

substance is carcinogenic.

- Reproductive toxicity: Based on available data, product is not expected to be expected to

be toxic for production.

Two-Generation Reproduction Toxicity (OECD 416)

-NOAEL/rat > 250 mg/kg/day

Page 10 of 18 Revision date: 19/05/2020



# **CLEARFLO PED4290**

Prenatal Development Toxicity Study (OECD 414)
-NOAEL/Maternal toxicity/rat > 50 mg/kg/day
-NOAEL/Developmental toxicity/rat > 50 mg/kg/day

- STOT – Single exposure: No known effects.

- **STOT – Repeated exposure:** Based on available data, product is not expected to demonstrate

chronic toxic effects.

NOAEL/oral/rat/600 days = 50 mg/kg/day

- **Aspiration hazard:** No known effects.

Alkanes, C11-15-iso-

Acute oral toxicity: LD50/oral/rat > 5000 mg/kg (OECD 401).

Acute dermal toxicity: LD50/dermal/rat > 5000 mg/kg (OECD 402)

- Acute inhalation toxicity: LC50/inhalation/8 hours/rat > 5000 mg/m³ (vapours) (OECD 403)

- **Skin corrosion/irritation**: Not irritating (OECD 404)

Repeated exposure may cause skin dryness or cracking.

- Serious eye damage/eye irritation: Not irritating (OECD 405).

- Respiratory/skin sensitisation: By analogy with similar products, this product is not expected to

be sensitizing. (OECD 406).

No respiratory sensitization has been observed in the workplace.

- Mutagenicity: Negative in the Ames Test (OECD 471). Negative in the In vitro

Mammalian Cell Gene Mutation Test (OECD 476). Negative in the In Vitro Mammalian Chromosome Aberration Test (OECD 473). Negative in the Rodent Dominant Lethal Test (OECD 478). Not

mutagenic (OECD 474, 479).

- **Carcinogenicity:** By analogy with similar substances, this substance is not expected

to be carcinogenic (OECD 453).

- **Reproductive toxicity:** By analogy with similar substances, this substance is not expected

to be toxic for reproduction (OECD 413, 414, 415).

- STOT – Single exposure: No known effects.

- STOT – Repeated exposure: By analogy with similar products, this product is not expected to

demonstrate chronic toxic effects (OECD 413).

Page 11 of 18 Revision date: 19/05/2020



# **CLEARFLO PED4290**

NOAEL/oral/rat/90 days >= 3000 mg/kg/day (OECD 408) (Based on results obtained from tests on analogous products).

Aspiration hazard: May be fatal if swallowed and enters airways.

### 12. ECOLOGICAL INFORMATION

#### 12.1 Toxicity

#### Information on the product as supplied

- Acute toxicity to fish: LC50/Fish/96 hours = 10 – 100 mg/L (Estimated).

Acute toxicity to invertebrates: EC50/Daphnia magna/48 hours = 10 – 100 mg/L (Estimated).

- Acute toxicity to algae: Algal inhibition tests are not appropriate. The flocculation

characteristics of the product interfere directly in the test medium preventing homogenous distribution which invalidates the test.

- Chronic toxicity to fish: No data available.

- Chronic toxicity to invertebrates: No data available.

- **Toxicity to microorganisms:** No data available.

- **Effects on terrestrial organisms:** No data available.

- **Sediment toxicity:** No data available.

### Relevant information on the hazardous components

#### Hydrocarbons, C14-C18, n-alkanes, isoalkanes, cyclics, < 2% aromatics

- Acute toxicity to fish: LC50/Fish/96 hours > 1028 mg/L

Acute toxicity to invertebrates: EC50/invertebrates/48 hours > 3193 mg/L

Acute toxicity to algae: IC50/Algae/72 hours = 993 mg/L

- Chronic toxicity to fish: NOEC/Oncorhynchus mykiss/28 days > 1000 mg/L (Estimated)

Page 12 of 18 Revision date: 19/05/2020



# **CLEARFLO PED4290**

- **Chronic toxicity to invertebrates:** NOEC/Daphnia magna/21 days > 1000 mg/L (Estimated)

- **Toxicity to microorganisms:** EC50/activated sludge/3 hours > 100 mg/L (OECD 209)

- **Effects on terrestrial organisms:** No data available.

- Sediment toxicity: NOEC/Sediment/10 days = 126 mg/kg (PARCOM)

Isotridecanol, ethoxylated

- Acute toxicity to fish: LC50/Cyprinus carpio/96 hours = 1 – 10 mg/L (OECD 203)

- Acute toxicity to invertebrates: EC50/Daphnia/48 hours = 1 – 10 mg/L (OECD 202)

- Acute toxicity to algae: IC50/Desmodesmus subspicatus/72 hours = 1 – 10 mg/L (OECD

201)

Chronic toxicity to fish: No data available.

Chronic toxicity to invertebrates: NOEC/Daphnia magna/21 days > 1 mg/L (OECD 202)

- **Toxicity to microorganisms:** EC10/activated sludge/17 hours > 10000 mg/L (DIN 38412-8)

- **Effects on terrestrial organisms:** No data available.

Sediment toxicity: No data available.

Alkanes, C11-15-iso-

- Acute toxicity to fish: LCO/Oncorhynchus mykiss/96 hours > 1000 mg/L (OECD 203)

(Based on results obtained from tests on analogous products)

- Acute toxicity to invertebrates: ECO/Daphnia magna/48 hours > 1000 mg/L (OECD 202) (Based on

results obtained from tests on analogous products)

- Acute toxicity to algae: NOEC/Pseudokirchneriella subcapitata/72 hours = 1000 mg/L

(OECD 201) (Based on results obtained from tests on analogous

products)

- **Chronic toxicity to fish:** NOEC/Oncorhynchus mykiss/28 days = 0.316 mg/L (Estimated)

Chronic toxicity to invertebrates: NOEC/Daphnia magna/21 days = 1 mg/L (OECD 211)

- **Toxicity to microorganisms:** EC50/Tetrahymena pyriformis/48h > 1000 mg/L

Page 13 of 18 Revision date: 19/05/2020



# **CLEARFLO PED4290**

	- Effects on terrestrial organisms:	No data available.			
	- Sediment toxicity:	Exposure to sediment is unlikely.			
12.2	Persistence and degradability				
	Information on the product as supplied:				
	- Degradation:	Readily biodegradable.			
	- Hydrolysis:	At natural pHs (>6) the polymer degrades due to hydrolysis to more than 70% in 28 days. The hydrolysis products are not harmful to aquatic organisms.			
	- Photolysis:	No data available.			
	Relevant information on the hazardous components				
	Hydrocarbons, C14-C18, n-alkanes, isoalkanes, cy	rocarbons, C14-C18, n-alkanes, isoalkanes, cyclics, < 2% aromatics			
	- Degradation:	Readily biodegradable. 82% / 24 days (OECD 301 F); 74% / 28 day (OECD 306)			
	- Hydrolysis:	Does not hydrolyse.			
	- Photolysis:	Half-life: 0.254 – 0.850 days			
	Isotridecanol, ethoxylated				
	- Degradation:	Readily biodegradable. > 60% / 28 days (OECD 301 B)			
	- Hydrolysis:	Does not hydrolyse.			
	- Photolysis:	No data available.			
	Alkanes, C11-15-iso-				
	- Degradation:	Inherently biodegradable. 31.5% / 28 days (OECD 301 F)			
	- Hydrolysis:	Does no hydrolyse.			
	- Photolysis:	No data available.			

Page 14 of 18 Revision date: 19/05/2020



# **CLEARFLO PED4290**

12.3	Bioaccumulative	notential

**Information on the product as supplied:** The product is not expected to bioaccumulate.

Partition co-efficient (Log Pow): Not applicable.

- **Bioconcentration factor (BCF):** No data available.

### Relevant information on the hazardous components

Hydrocarbons, C14-C18, n-alkanes, isoalkanes, cyclics, < 2% aromatics

Partition co-efficient (Log Pow): No data available.

- Bioconcentration factor (BCF): 22 L/kg

Isotridecanol, ethoxylated

- Partition co-efficient (Log Pow): > 3

- **Bioconcentration factor (BCF):** No data available.

Alkanes, C11-15-iso-

Partition co-efficient (Log Pow): No data available.

Bioconcentration factor (BCF): No data available.

12.4 Mobility in soil

Information on the product as supplied: No data available.

Relevant information on the hazardous components

Hydrocarbons, C14-C18, n-alkanes, isoalkanes, cyclics, < 2% aromatics

- **Koc:** No data available.

Isotridecanol, ethoxylated

- **Koc:** > 5000

Alkanes, C11-15-iso

Page 15 of 18 Revision date: 19/05/2020



# **CLEARFLO PED4290**

	- Koc:	No data available.
12.5	Results of PBT and vPvB assessment	
	- PBT assessment:	Not PBT according to the criteria of Annex XIII of REACH.
	- vPvB assessment:	Not vPvB according to the criteria of Annex XIII of REACH.
12.6	Other adverse effects:	None known.
13. [	DISPOSAL CONSIDERATIONS	
13.1	Waste treatment methods	
	- Waste from residues/unused products:	Dispose in accordance with local and national regulations.
	- Contaminated packaging:	Rinse empty containers with water and use the rinse-water to prepare the working solution. If recycling is not practicable, dispose of in compliance with local regulations.
	- Recycling:	Store containers and offer for recycling of material when in accordance with the local regulations.
14. 1	TRANSPORT INFORMATION	
14.1	Land transport (ADR/RID):	Not classified.
14.2	Sea transport (IMDG):	Not classified.
14.3	Air transport (IATA):	Not classified.

Page 16 of 18 Revision date: 19/05/2020



# **CLEARFLO PED4290**

#### 15. REGULATORY INFORMATION

### 15.1 Safety, health, and environmental regulations specific for the substance or mixture:

All components of this product have been registered or pre-registered with the European Chemicals Agency or are exempt from registration.

#### 15.2 Chemical Safety Assessment:

A chemical safety assessment for this product has been carried out by the person responsible for producing this Safety Data Sheet. All relevant information used to conduct this assessment are included in this Safety Data Sheet as well as any resulting Risk Reduction Measures.

#### 16. OTHER INFORMATION

## 16.1 This data sheet contains changes from the previous version in section(s):

SECTION 5: Fire-fighting measures, SECTION 8. Exposure controls/personal protection, SECTION 12. Ecological information, SECTION 15. Regulatory information, SECTION 16. Other information.

### 16.2 Key or legend to abbreviation and acronyms used in the safety data sheet:

#### **Acronyms**

PBT = persistent, bioaccumulative and toxic

STOT = Specific target organ toxicity

vPvB = Very persistent and very bioaccumulative

## **Abbreviations**

Acute Tox. 4 = Acute toxicity, Hazard Category 4

Asp. Tox 1 = Aspiration hazard, Hazard Category 1

Eye Dam 1 = Serious eye damage/eye irritation, Hazard Category 1

#### Hazard statement

H302 - Harmful if swallowed

H304 – May be fatal if swallowed and enters airways

H318 - Causes serious eye damage

EUH066 - Repeated exposure may cause skin dryness or cracking

### Training advice

Do not handle until all safety precautions have been read and understood.

Page 17 of 18 Revision date: 19/05/2020



# **CLEARFLO PED4290**

### 16.4 This SDS was prepared in accordance with the following:

Regulation (EC) N° 1907/2006, as amended Regulation (EC) N° 1272/2008, as amended

Version: 18.01.a

DDCC019

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only a guidance for safe handling, use, process, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process unless specified in the text.

# ANNEX(ES)

This product is not hazardous as supplied and/or does not contain hazardous components:

- . Which require REACH registration; or,
- . which demonstrate relevant effects which would require a chemical safety assessment; or,
- . which are present at concentrations above their cut-off value

Therefore, according to Regulation (EC) No 197/2006, Article 31, paragraph 7, an Exposure Scenario is not required as an annex to the Safety Data Sheet.

Page 18 of 18 Revision date: 19/05/2020