

CLEARFLO PP9300

1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product Identifier:

Trade Name: CLEARFLO PP9300

Type of product: Mixture

1.2 Relevant identified used of the substance or mixture and uses advised against:

Identified Uses: Processing aid for industrial applications

Uses advised against: None

1.3 Details of the supplier of the safety data sheet:

Supplier: GPC CLEAR SOLUTIONS LIMITED

Unit 57

Riverside Estate

Sir Thomas Longley Road Medway City Estate

Rochester Kent ME2 4DP United Kingdom

Telephone Number: +44 (0) 1634 326920 **Mobile:** +44 (0) 7787564967

Email: sales@gpcclearsolutions.co.uk

1.4 Emergency Telephone Number:

GPC Clear Solution Ltd (Out of office hours only): +44 (0) 7787564967

National Poison Information Service: NHS Direct: 0845 4647 or 111 (24/24, 7/7)

Scotland: NHS 24-08454 24 24 24 (24/24, 7/7)

Page 1 of 18 Revision date: 13/07/2020



Page 2 of 18

SAFETY DATA SHEET

CLEARFLO PP9300

	2. HAZARDS IDENTIFICATION	
2.1	Classification of the substance or mixture:	
	 Classification according to Regulation (EU) No. 1272/ 2008: 	None.
2.2	Label elements	
	Labelling according to Regulation (EC) 1272/2008:	
	- Hazard pictogram(s):	None.
	- Signal word:	None.
	- Hazard Statement(s):	None
	- Precautionary statement(s):	None
	- Additional elements:	EUH210 – Safety data sheet available on request.
2.3	Other hazards:	Aqueous solution or powders that become wet render surfaces extremely slippery.
	- PBT and vPvB assessments:	Not PBT or vPvB according to the criteria of Annex XIII of REACH.
	For explanation of abbreviation see Section 16.	
3. C	OMPOSITION/INFORMATION ON INGREDIENTS	
3.1	Substances:	Not applicable, this product is a mixture.
3.2	Mixtures	
	<u>Hazardous components</u>	
	Adipic acid	

Revision date: 13/07/2020



CLEARFLO PP9300

- Concentration/ -range: <= 2.5%

- **EC-No:** 204-673-3

- REACH Registration Number: 01-2119457561-38-XXXX

- Classification according to Regulation (EC) No.

1272/2008: Eye Irrit. 2;H319

Sulphamidic acid

- Concentration/ -range: <= 2.5%

- **EC-No:** 226-218-8

REACH Registration Number: 01-2119982121-44-XXXX/

01-219488633-28-XXXX

Classification according to Regulation (EC) No.

1272/2008: Skin Irrit. 2;H315, Eye Irrit. 2;H319, Aquatic Chronic

3;H412

For explanation of abbreviations see section 16

4. FIRST AID MEASURES

4.1 Description of first aid measures:

- **Inhalation:** Move to fresh air. Get medical attention if symptoms

occur.

- **Skin contact:** Wash off with soap and plenty of water. Get medical

attention if irritation develops and persists.

- **Eye contact:** Rinse immediately with plenty of water, also under the

eyelids. Get medical attention.

- Ingestion: Rinse mouth. If conscious, give the victim plenty of water

to drink. Induct vomiting, but only if victim is fully

conscious.

Page 3 of 18 Revision date: 13/07/2020



CLEARFLO PP9300

4.2 Most important symptoms and effects, both acute and delayed:

Powder can cause localised skin irritation in folds of the skin or under tight clothing. Contact with dust can cause mechanical irritation or drying of the skin.

4.3 Indication of any immediate medical attention and special treatment needed:

None.

- **Other information:** No information available.

5. FIRE-FIGHTING MEASURES

5.1 Extinguishing media

- **Suitable extinguishing media:** Water. Water spray. Foam. Carbon dioxide (CO2). Dry

Powder.

Warning! Aqueous solution or powders that become wet

render surfaces extremely slippery.

Unsuitable extinguishing media: None known.

5.2 Special hazards arising from the substance or mixture

- **Hazardous decomposition products:** Thermal decomposition may produce: hydrogen chloride

gas, nitrogen oxides (NOx), carbon oxides (COx). Ammonia (NH3). Hydrogen cyanide (hydrocyanic acid) may be produced in the event of combustion in an oxygen

deficient atmosphere.

5.3 Advice for firefighters:

- **Protective measures:** Wear self-contained breathing apparatus for firefighting if

necessary.

Other information: Aqueous solutions or powders that become wet render

surfaces extremely slippery.

Page 4 of 18 Revision date: 13/07/2020



CLEARFLO PP9300

6. ACCIDENTAL REALEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures:

Personal precautions: Avoid contact with skin and eyes. Avoid dust formation.

Avoid breathing dust. Aqueous solutions or powders that

become wet render surfaces extremely slippery.

Protective equipment: Wear adequate personal protective equipment (see

Section 8 Exposure Controls/Personal Protection).

- **Emergency procedures:** Keep people away from spill/leak. Prevent further leakage

or spillage if safe to do so.

6.2 Environmental precautions: As with all chemical products, do not flush into surface

water.

6.3 Methods and material for containment and cleaning up

- Small spills: <u>Do not flush with water.</u> Clean up promptly by sweeping

or vacuum.

- Large spills: <u>Do no flush with water.</u> Prevent unauthorized access.

Sweep up and shovel into suitable containers for disposal.

- **Residues:** Sweep up to prevent slip hazard. <u>After cleaning,</u> flush away

traces with water.

6.4 Reference to other sections: SECTION 7: Handling and storage; SECTION 8: Exposure

controls/personal protection; SECTION 13: Disposal

considerations;

7. HANDLING AND STORAGE

7.1 Precautions for safe handling:

Avoid dust formation. Avoid breathing dust. Wash hands before breaks and at the end of workday. Avoid contact

with skin and eyes.

Page 5 of 18 Revision date: 13/07/2020



Inhalation

SAFETY DATA SHEET

CLEARFLO PP9300

7.2	Conditions for safe storage, including an incompatibilities:	Keep in dry place. Incompatible with oxidizing agents.
7.3	Specific end use(s):	This information is not available.
8. EX	POSURE CONTROLS/ PERSONAL PROTECTION	
8.1	Control parameters:	
	- National occupational exposure limits:	None known.
	Derived No and Minimum Effect Levels (DNELs/DMELs)	
	Adipic acid	
	Workers:	
	Long-term systemic effects:	
	- Inhalation	264 mg/m³
	- Skin contact	38 mg/kg/day
	Acute systemic effects:	
	- Inhalation	264 mg/m ³
	- Skin contact	38 mg/kg/day
	Long-term local effects:	
	- Inhalation	5 mg/m³
	Acute local effects:	
	- Inhalation	5 mg/m³
	Long-term systemic effects:	

Page 6 of 18 Revision date: 13/07/2020

65 mg/m³



CLEARFLO PP9300

Skin contact 19 mg/kg/day

- Ingestion 19 mg/kg/day

Acute systemic effects:

- Inhalation 65 mg/m³

- Skin contact 19 mg/kg/day

- Ingestion 19 mg/kg/day

Sulphamidic acid

Workers:

Long-term systemic effects:

- **Inhalation** 70.5 mg/m³

- **Skin contact** 10 mg/kg/day

Long-term systemic effects:

- Inhalation 17.4 mg/m³

- **Skin contact** 5 mg/kg/day

- **Ingestion** 5 mg/kg/day

Predicted no-effect concentrations (PNEC)

Adipic acid

Freshwater: 0.126 mg/L

Intermittent release: 0.46 mg/L

- Marine water: 0.0126 mg/L

Sewage treatment plant: 59.1 mg/L

- Sediment (freshwater): 0.484 mg/kg

- Sediment (marine water): 0.00484 mg/kg

Page 7 of 18 Revision date: 13/07/2020



CLEARFLO PP9300

- **Soil:** 0.0228 mg/kg

Sulphamidic acid

- Freshwater: 1.8 mg/L

Intermittent release: 0.48 mg/L

Marine water: 0.18 mg/L

- Sewage treatment plant: 20 mg/L

- **Sediment (freshwater):** 8.36 mg/kg

Sediment (marine water): 0.84 mg/kg

- **Soil:** 5 mg/kg

- Oral (secondary poisoning): The product is not expected to bioaccumulate

8.2 Exposure controls

- Appropriate engineering controls: Use local exhaust if dusting occurs. Natural ventilation is adequate

in absence of dusts.

Individual protection measure, such as personal protective equipment

a) Eye/face protection: Safety glasses with side-shields. Do not wear contact lenses where

this product is used. Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH

(US) or EN 166 (EU).

b) Skin protection:

i) Hand protection: PVC or other plastic material gloves. The selected protective

gloves have to satisfy the specifications of EU Directive 89/689/EEC and the standard EN 374 derived from it.

ii) Other: Chemical resistant apron or protective suit if splashing or repeated

contact with solution is likely. The type of protective equipment must be selected according to the concentration and amount of

the dangerous substance at the specific workplace.

c) Respiratory protection: Dust safety masks recommended where working powder

concentration is more than 10 mg/m³. Use respirators and

Page 8 of 18 Revision date: 13/07/2020



CLEARFLO PP9300

components tested and approved under appropriate government

standards such as NIOSH (US) or CEN (EU).

d) Additional advice: Wash hands before breaks and at the end of workday. Wash

hands before breaks and immediately after handling the product. Handle in accordance with good industrial hygiene and safety

practice.

Environmental exposure controls:Do not allow uncontrolled discharge of product into the

environment.

9. PHYSICAL AND CHEMICAL PROPERTIES

9.1 Granular solid, White Appearance: 9.2 Odour: None **Odour Threshold:** 9.3 Not applicable 9.4 pH: 2.5 – 4.5 @ 5g/L (See Technical Bulletin or Product Specifications for precise value) 9.5 Melting point/freezing point: > 100 °C Initial boiling point and boiling range: 9.6 Not applicable 9.7 Flash point: Not applicable Not available 9.8 **Evaporation rate:** 9.9 Flammability (solid, gas): Not combustible 9.10 Upper/lower flammability or explosive limits: Not expected to create explosive atmospheres. Not applicable 9.11 Vapour pressure: 9.12 Vapour density: Not applicable 9.13 Relative density: 0.6 - 0.9 (See Technical Bulletin or Product Specifications for a more precise value, if available)

Page 9 of 18 Revision date: 13/07/2020



CLEARFLO PP9300

9.14 Solubility(ies): Soluble in water

9.15 Partition coefficient: < 0

9.16 Autoignition temperature: Not applicable

9.17 Decomposition temperature: > 200 °C

9.18 Viscosity: See Technical Bulletin

9.19 Explosive properties: Not expected to be explosive based on the chemical structure.

9.20 Oxidizing properties: Not expected to be oxidising based on the chemical structure.

10. STABILITY AND REACTIVITY

10.1 Reactivity: Hazardous polymerisation does not occur.

10.2 Chemical stability: Stable.

10.3 Possibility of hazardous reactions: Oxidizing agents may cause exothermic reactions.

10.4 Conditions to avoid: None known.

10.5 Incompatible materials: Oxidizing agents.

10.6 Hazardous decomposition products: Thermal decomposition may produce: nitrogen oxides (NOx,

carbon oxides (COx). Hydrogen cyanide (hydrocyanic acid) may be produced in the event of combustion in an oxygen deficient

atmosphere.

11. TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

Information on the product as supplied:

Acute oral toxicity: LD50/oral/rat > 5000 mg/kg

Page 10 of 18 Revision date: 13/07/2020



CLEARFLO PP9300

- Acute dermal toxicity: LD50/dermal/rat > 5000 mg/kg

- **Acute inhalation toxicity:** The product is not expected to be toxic by inhalation.

Skin corrosion/irritation: Not irritating.

- **Serious eye damage/eye irritation:** Testing conducted according to the Draize technique showed the

material produces no corneal or iridial effects and only slight transitory conjunctival effects similar to those which all granular

material have on conjunctivae.

- Respiratory/skin sensitisation: The result of testing on guinea pigs showed this material to be

non-sensitizing.

Mutagenicity: Not mutagenic.

- **Carcinogenicity:** Not carcinogenic.

- **Reproductive toxicity:** Not toxic for reproduction.

- **STOT- Single exposure:** No known effects.

- STOT – Repeated exposure: No known effect.

Aspiration hazard: No hazards resulting from the material as supplied.

Relevant information on the hazardous components:

Adipic acid

Acute oral toxicity: LD50/oral/rat > 5060 mg/kg (OECD 401)

- Acute dermal toxicity: LD50/dermal/rabbit > 3176 mg/kg

- Acute inhalation toxicity: LCO/inhalation/4 hours/rat > 7.7 mg/L (OECD 403)

Skin corrosion/irritation: Slightly irritating.

Serious eye damage/eye irritation: Not irritating. (OECD 405)

Respiratory/skin sensitisation: Not sensitizing.

- **Mutagenicity:** Negative in the Ames Test (OECD 471). Negative in the In vitro

Mammalian Cell Gene Mutation Test (OECD 476).

Page 11 of 18 Revision date: 13/07/2020



CLEARFLO PP9300

- **Carcinogenicity:** Based on available data, product is not expected to be

carcinogenic. Carcinogenicity study in rat: NOAEL > 750

mg/kg/day.

- **Reproductive toxicity:** Based on available date, product is not expected to be toxic for

reproduction.

NOAEL/Maternal toxicity/rat >= 288 mg/kg/day NOAEL/Developmental toxicity/rat >= 288 mg/kg/day

- **STOT- Single exposure:** No known effects.

- STOT – Repeated exposure: No known effect.

- **Aspiration hazard:** No known effects.

Sulphamidic acid

- Acute oral toxicity: LD50/oral/rat = 2065 – 2140 mg/kg

- Acute dermal toxicity: LD50/dermal/rat = 2000 mg/kg (OECD 402)

- **Acute inhalation toxicity:** The product is not expected to be toxic by inhalation.

- **Skin corrosion/irritation:** Not irritating. (OECD 404)

Serious eye damage/eye irritation: Moderately irritating to the eyes. (EPA OPPTS 870.2400)

- **Respiratory/skin sensitisation:** This product is not expect to be sensitizing.

- **Mutagenicity:** Negative in the Ames Test (OECD 471). Negative in the In vitro

Mammalian Cell Gene Mutation Test (OECD 476). Not mutagenic.

(OECD 472, 487)

- Carcinogenicity: Based on the absence of mutagenicity, it is unlikely that the

substance is carcinogenic.

- Reproductive toxicity: Based on available date, product is not expected to be toxic for

reproduction. Prenatal Development Toxicity Study (OECD 414)

NOAEL/Maternal toxicity/rat >= 200 mg/kg/day NOAEL/Developmental toxicity/rat >= 200 mg/kg/day

- **STOT- Single exposure:** No known effects.

STOT – Repeated exposure: No known effect.

Page 12 of 18 Revision date: 13/07/2020



CLEARFLO PP9300

- **Aspiration hazard:** No known effects.

12. ECOLOGICAL INFORMATION

12.1 Toxicity

Information on the product as supplied:

- Acute toxicity to fish: LC50/ Danio rerio/96 hours = 5 – 10 mg/L (OECD 203)

- Acute toxicity to invertebrates: EC50/Daphnia magna/48 hours = 20 -50 mg/L (OECD 202)

- Acute toxicity to algae: Algal inhibition tests are not appropriate. The flocculation

characteristics of the product interfere directly in the test medium preventing homogenous distribution which invalidates the test.

- **Chronic toxicity to fish:** No data available.

Chronic toxicity to invertebrates: No data available.

Toxicity to microorganisms: No data available.

- Effects on terrestrial organisms: No data available. Readily biodegradable, exposure to soil is

unlikely.

- Sediment toxicity: No data available. Readily biodegradable, exposure to sediment is

unlikely.

Relevant information on the hazardous components

Adipic acid

- Acute toxicity to fish: LC50/ Danio rerio/96 hours >= 1000 mg/L (OECD 203)

- Acute toxicity to invertebrates: EC50/Daphnia magna/48 hours = 46 mg/L (OECD 202)

- Acute toxicity to algae: IC50/Selenastrum capricornutum/72 hours = 59 mg/L (OECD 201)

- **Chronic toxicity to fish:** No data available.

- Chronic toxicity to invertebrates: NOEC/Daphnia magna/21 days = 6.3 mg/L (OECD 211)

Page 13 of 18 Revision date: 13/07/2020



CLEARFLO PP9300

- **Toxicity to microorganisms:** EC50/activated sludge/3 hours = 4747 mg/L (OECD 209)

Effects on terrestrial organisms: No data available.

- **Sediment toxicity:** No data available.

Sulphamidic acid

Acute toxicity to fish: LC50/Pimephales promelas/96 hours = 70.3 mg/L (OECD 203)

- Acute toxicity to invertebrates: EC50/Daphnia magna/48 hours = 71.6 mg/L (OECD 202)

- Acute toxicity to algae: IC50/Scenedesmus subpicatus/72 hours = 48 mg/L (OECD 201)

- Chronic toxicity to fish: NOEC/Danio rerio/34 days >= 60 mg/L (OECD 201).

- Chronic toxicity to invertebrates: NOEC/Daphnia magna/21 days = 19 mg/L (OECD 211)

- **Toxicity to microorganisms:** EC50/activated sludge/3 hours =200 mg/L (OECD 209)

- **Effects on terrestrial organisms:** No data available.

- **Sediment toxicity:** No data available.

12. 2 Persistence and degradability

Information on the product as supplied:

Degradation: Based on degradation data of components, this product is

expected to readily (bio)degradable.

- **Hydrolysis:** At natural pHs (>6) the polymer degrades due to hydrolysis to

more than 70% in 28 days. The hydrolysis products are not

harmful to aquatic organisms.

- **Photolysis:** No data available.

Relevant information on the hazardous components:

Adipic acid

- **Degradation:** Readily biodegradable. > 70% / 28 days (OECD 301 D)

Page 14 of 18 Revision date: 13/07/2020



12.3

12.4

Koc:

SAFETY DATA SHEET

CLEARFLO PP9300

- Hydrolysis:	Does not hydrolyse.						
- Photolysis:	Half-life (indirect photolysis): = 2.9 days						
Sulphamidic acid							
- Degradation:	Not relevant (inorganic).						
- Hydrolysis:	Does not hydrolyse.						
- Photolysis:	No data available.						
Bioaccumulative potential							
Information on the product as supplied:	The product is not expected to bioaccumulate.						
- Partition co-efficient (Log Pow):	< 0						
- Bioconcentration factor (BCF):	No data available.						
Relevant information on the hazardous components							
Relevant information on the hazardous	components						
Relevant information on the hazardous Adipic acid	components						
	o.093 @ 25°C, pH 3.3						
Adipic acid							
Adipic acid - Partition co-efficient (Log Pow):	0.093 @ 25°C, pH 3.3						
 Adipic acid Partition co-efficient (Log Pow): Bioconcentration factor (BCF): 	0.093 @ 25°C, pH 3.3						
 Adipic acid Partition co-efficient (Log Pow): Bioconcentration factor (BCF): Sulphamidic acid	0.093 @ 25°C, pH 3.3 No data available.						
 Adipic acid Partition co-efficient (Log Pow): Bioconcentration factor (BCF): Sulphamidic acid Partition co-efficient (Log Pow): 	0.093 @ 25°C, pH 3.3 No data available. -4.34 @ 20°C						
 Adipic acid Partition co-efficient (Log Pow): Bioconcentration factor (BCF): Sulphamidic acid Partition co-efficient (Log Pow): Bioconcentration factor (BCF): 	0.093 @ 25°C, pH 3.3 No data available. -4.34 @ 20°C No data available.						

Page 15 of 18 Revision date: 13/07/2020

No data available.



CLEARFLO PP9300

		: acid

No data available. Koc:

12.5 Results of PBT and vPvB assessment:

> PBT assessment: Not PBT according to the criteria of Annex XIII of REACH.

> Not vPvB according to the criteria of Annex XIII of REACH. vPvB assessment:

12.6 Other adverse effects: None known.

13. DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods:

Waste from residues/unused products: Dispose in accordance with local and national regulations. Can be

landfilled or incinerated, when in compliance with local

regulations.

Contaminated packaging: Rinse empty containers with water and use the rinse-water to

> prepare the working solution. If recycling is not practicable, dispose of in compliance with local regulations. Can be landfilled

or incinerated, when in compliance with local regulations.

Recycling: In accordance with local and national regulations.

14. TRANSPORT INFORMATION

14.1 Land transport (ADR/RID): Not classified

14.2 Sea transport (IMDG): Not classified

14.3 Not classified Air transport (IATA):

> Page 16 of 18 Revision date: 13/07/2020



CLEARFLO PP9300

15. REGULATORY INFORMATION

15.1 Safety, health and environmental regulations specific for the substance or mixture:

All components of this product have been registered or pre-registered with the European Chemicals Agency or are exempt from registration.

15.2 Chemical Safety Assessment:

A chemical safety assessment for this product has been carried out by the person responsible for producing this Safety Data Sheet. All relevant information used to conduct this assessment are included in this Safety Data Sheet as well as any resulting Risk Reduction Measures

16. OTHER INFORMATION

16.1 This data sheet contains changes from the previous version in section(s):

SECTION 3. Composition/information on ingredients, SECTION 8. Exposure controls/personal protection, SECTION 16. Other Information.

16.2 Key or legend to abbreviation and acronyms used in the safety data sheet:

Acronyms

PBT = persistent, bioaccumulative and toxic

STOT = Specific target organ toxicity

vPvB = Very persistent and very bioaccumulative

Abbreviations

Eye Irrit. 2 = Serious eye damage/eye irritation, Hazard Category2

Skin Irrit. 2 = Skin corrosion/irritation, Hazard Category 2

Aquatic Chronic 3 = Hazardous to the aquatic environment – Chronic Hazard, Category 3

Hazard statement

H315 - Causes skin irritation

H319 - Causes serious eye irritation

H412 – Harmful to aquatic life with long lasting effects

16.3 Training advices:

Do not handle until all safety precautions have been read and understood.

Page 17 of 18 Revision date: 13/07/2020



CLEARFLO PP9300

16.4 This SDS was prepared in accordance with the following:

Regulation (EC) N° 1907/2006, as amended Regulation (EC) N° 1272/2008, as amended

Version: 20.01.a

PRCC003

Contact: Tele: +44 (0) 1634326920

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only a guidance for safe handling, use, process, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process unless specified in the text.

ANNEX(ES)

This product is not hazardous as supplied and/or does not contain hazardous components:

- . Which require REACH registration; or,
- . which demonstrate relevant effects which would require a chemical safety assessment; or,
- . which are present at concentrations above their cut-off value.

Therefore, according to Regulation (EC) No 197/2006, Article 31, paragraph 7, an Exposure Scenario is not required as an annex to the Safety Data Sheet

Page 18 of 18 Revision date: 13/07/2020